Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20050144407"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 14:42
S2	211	"5155845"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 14:43
S3	204	S2 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:15
S4	12	S3 and (snap\$1shot or poin\$1in\$1time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 10:12
S5	2	"5155845".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 15:11
S6	39	"5974563"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:04
S7	2	"20030131278"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:16
S8	2	"20020129214"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:21

S9	7	"1517241"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:24
S10	34	colgrove-john-a\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:26
S11	17	karr-ronald-s\$\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:25
S12	29	kiselev-oleg.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:25
S13	21519	(configur\$5 and modif\$7).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:28
S14	6	S10 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:33
S15	2	S11 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:31
S16	7	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:36

			T			
S17	8399	chang\$3 near5 (log or journal) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:36
S18	1411	711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:37
S19	84	S17 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:37
S20	61	S19 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:38
S21	2	"20030051111"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 15:22
S22	2	("2003/0051111").URPN.	USPAT	OR	OFF	2006/04/18 15:22
S23	10	("20030009707" "20030051111" "20030177321" "20030182592" "20030188218" "20030188233" "20040123180" "20040128442" "5742792" "6681303").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/18 15:25
S24	10794	(third or ternary) near5 ((data adj store) or (storage adj control) or server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:14
S25	14223	(snap\$1shot or point\$1in\$1time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:11

S26	340	S24 and S25	US-PGPUB;	OR	OFF	2006/04/18 17:12
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			233, 5 1, 10 11112
S27	217	S26 and ((updat\$3 or modif\$7 or writ\$3) near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:15
S28	17295	(third or ternary) near5 ((data adj store) or (storage adj control) or server or site)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:14
S29	465	S25 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:14
S30	291	S29 and ((updat\$3 or modif\$7 or writ\$3) near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:15
S31	220	S30 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:58
S32	1414	711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:16
S33	15	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:56

S34	103	ofek-yuval.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:57
S35	14	S28 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:58
S36	7	S25 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 17:58
S37	7	S36 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/19 16:51
S38	. 7	S30 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 18:03
S39	6	S25 and (fourth adj site)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 18:12
S40	6	S39 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 10:14
S41	0	S25 and (fourth adj data adj center)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 18:12

S42	2	S25 and (fourth adj storage adj (system or controller or server or node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 18:14
S43	7	performing near2 updat\$3 near5 (second or remote or back\$1up) near2 (site or (data adj center) or server or (storage adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 19:05
S44	2	S25 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 19:10
S45	793	S25 and ((updat\$3 or chang\$3) near2 (journal or log or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 19:11
S46	636	S45 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 19:12
S47	53	S32 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/18 19:12
S48	14	S47 and (time adj (stamp or sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 10:13
S49	14	S48 and updat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/19 16:49

				1	ı	
S50	15	(first adj point\$1in\$1time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/19 16:50
S51	25	(second adj point\$1in\$1time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/19 16:51
S52	9	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/19 16:51
S53	7	S52 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	*OR	OFF	2006/04/19 16:51
S54	13766	(snap\$1shot or poin\$1in\$1time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 10:12
S55	63882	(time adj (stamp or sequence))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 10:13
S56	1895	S54 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 10:13
S57	1422	711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 10:14

S58	73	S56 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/20 10:14
S59	50	S58 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 10:50
S60	3130	(produc\$3 or generat\$3 or creat\$3) with copy with (sequncial\$3 nea2 order)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 10:42
S61	15	S59 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 10:19
S62	15	S54 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 10:19
S63	19	(second\$3 near2 (control\$3 or (data adj center) or (storage adj system) or site)) with (produc\$3 or generat\$3 or creat\$3) with copy with (sequncial\$3 nea2 order)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 11:57
S64	13	S63 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 11:59
S65	26	(second\$3 near2 (control\$3 or (data adj center) or (storage adj system) or site)) with (produc\$3 or generat\$3 or creat\$3) with (snap\$1shot or point\$1in\$1time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 11:58

S66	19	S65 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR;	OR	OFF	2006/04/20 15:11
:			EPO; JPO; DERWENT; IBM_TDB			
S67	1422	711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 15:09
S68	1024	(command or instruction or message) with (point\$1in\$1time or snap\$1shot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 15:11
S69	96	S67 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 15:11
S70	67	S69 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 16:34
S71	169726	(modif\$3 or updat\$3) near5 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 15:12
S72	45	S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 15:13
S73	13	S72 and bit\$1map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 16:02

S78	68	S67 and ((concurrent or parallel or simultan\$3) near2 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 16:33
S79	. 12	S78 and (sequen\$4 near2 order)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 16:34
S80	11	S79 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 17:20
S81	0	S67 and (unorder near5 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 16:43
S82	1	S67 and (unorder\$3 near5 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 17:19
S84	53	S67 and (perform\$3 with set near5 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 17:20
S85	11	S80 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 17:21
S86	41	S84 and (@ad<"20031231")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 08:58

S87	0	S78 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/20 17:22
S88	2	"6282610".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 08:58
S89	2	"6898681".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 09:32